

stoka A - 1610,6m
KT DN300-1417,98m
SKL DN300-22,8m
KT DN250-169,82m

stoka A - 1610,6m
KT DN300-1417,98m
SKL DN300-22,8m
KT DN250-169,82m

ÚSEK PROVEDEN BEZVÝKOPOVĚ
OCEL. CHRÁNICKA DN630x9 mm - DL. 6,50 m

stoka J - 430,0m
PP DN300-132,73m
PP DN250-297,27m

stoka J-1 - 60,0m
PP DN250-60,0m

stoka K
DN250-42,15m

4

ÚSEK PROVEDEN
PROTLAČENÍM OCEL. CHRÁNIČKY DN500

KŘÍŽENÍ SILNICE BEZVÝKOPOVĚ
PROTLAČENÍM OCEL. CHRÁNIČKY DN530x8mm - DL. 9,00 m

KŘÍŽENÍ SILNICE BEZVÝKOPOVĚ
PROTLAČENÍM OCEL. CHRÁNIČKY DN530x8mm - DL. 6,30 m

stoka K
PP DN250-42,15m

stoka L-1a
dl. 10,80 m

stoka L - 152,4m
PP DN250-152,4m

stoka L-1 - 186,7m
PP DN250-186,7m

stoka L - 171,95m
PP DN250-171,95m

stoka L-2a
PP DN250 - 22,10m

stoka L - 44,7m
PP DN250-44,7m

J-3 - 87,8m
PP DN250-87,8m

stol
KT D
SKL
KT D

stoka A - 1610,6m
KT DN300-1417,98m
SKL DN300-22,8m
KT DN250-169,82m

870 stoka N

stoka L-1


A collage of various elements including a map, a clock, and the text "stok KT SK KT". The text is in a bold, red, sans-serif font. The background features a map with a grid and a clock face. The text is arranged in a vertical stack, with "stok" at the top, followed by "KT", "SK", and "KT" below it. The text is partially obscured by the map and clock elements.

stoka A - 1610,6m
KT DN300-1417,98m
SKL DN300-22,8m
KT DN250-169,82m

stoka A

stoka R - 128,0m
PP DN250-128,0m

stoka R



Technical site plan showing a proposed drainage system (Stoka A) with three segments: ST DN300-1417,98m, SKL DN300-22,8m, and KT DN250-169,82m. The plan includes property boundaries, existing infrastructure, and a large blue number 8 in the top right corner.

[illegible][illegible]

The drawing shows a detailed plan of a sewerage system. Key features include:

- Stoka A - 1610,6m**: A main sewer line running vertically through the center.
- KT DN300-1417,98m**: A branch or connection point.
- SKL DN300-22,8m**: A storage tank or settling basin.
- KT DN250-169,82m**: Another branch or connection point.
- Stoka R - 128,0m**: A smaller sewer line at the top left.
- PP DN250-128,0m**: A pipe connection at the top left.
- Manholes**: Labeled with numbers like Š45, Š46, Š47, Š48.
- Pipes**: Various diameters and materials indicated by different line styles and colors.
- Land Parcels**: Numbered areas such as 396/2, 400/2, 400/3, 402/10, 394/4, 394/11, 259, 262, 257, 354, 394/7, 394/II, 292, 397, 380, 405.
- Other Labels**: "REKREAČNÍ ZÁRŽENÍ SAGE TEAM", "OCHRANÉ PÁSMA VTL PLÝNOVODU", "MLADÝ LESNÍ POROST", "VZROSTLÝ LES".