

Popis zakázky: Nemocniční informační systém - HW

	Množ.	Název	Cena / ks	Cena celkem	Sazba		
					DPH	DPH	Cena s DPH
		Datové rozvody	Kč / ks	Kč	%	Kč	Kč
1	250	Optický kabel 24x9/125, volná sek.ochrana					
2	2	Výsuvná opt.jednotka 19"/1U pro max.24spojek					
3	4	Kazeta sváru					
4	2	Víčko kazety					
5	24	Spojka LC, duplex, SM, PC (modrá)					
6	48	Pigtail LC/PC, 9/125, 1m					
7	24	Optický patch cord LC/PC - LC/PC, SM, 9/125, duplex, 2m					
8	0	Optický patch cord SC/PC - LC/PC, SM, 9/125, duplex, 2m					
9	48	Svár opt.vlákná					
10	24	Měření opt.vlákná - výkonové					
11	1	Nosný instalační materiál					
12	3	Protipožární ucpávky (5ks)					
13	1	Montáž a instalace kabeláže					
14	1	Doprava materiálu, osob,...					
15		Servery, Pole, SAN VMware					
16	1	SCv3020 3Ux30 Drive Storage Array					
17		1 SC Bezel					
18		30 SC, 1.8TB, SAS, 12Gb, 10K, 2.5", HDD					
19		2 SC, RJ45, 4-port, Mezz Card					
20		2 IO, 16Gb FC, 4Port, PCI-E, Full height					
21		2 C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord					
22		1 Redundant Power Supply, 1485W, C14					
23		2 12Gb HD-Mini to HD-Mini SAS cable, 0.5m					
24		4 LC-LC Optical Cable, 3M					
25		4 LC-LC Optical Cable, 5M					
26		1 SCv30X0 Dual Controller Components					
27		1 Rack rail, 2Us, Static					
28		1 Storage Center Core Software Bundle, Base License					
29		1 SSN License					
30		1 Live Volume+Remote Instant Replay, Software License					
31		1 Replay Manager, Software License					
32		1 3Yr Parts Only Warranty					
33		1 5Yr ProSupport and 4hr Mission Critical					
34		1 5Yr ProSupport for Software, Live Volume License (includes RIRA Async Sync License) (Non- Essential)					
35		1 5Yr ProSupport for Software, Replay Manager License (Non- Essential)					
36	1	SCv3020 3Ux30 Drive Storage Array					
37		1 SC Bezel					
38		30 SC, 1.8TB, SAS, 12Gb, 10K, 2.5", HDD					
39		2 SC, RJ45, 4-port, Mezz Card					
40		2 IO, 16Gb FC, 4Port, PCI-E, Full height					
41		2 C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord					
42		1 Redundant Power Supply, 1485W, C14					
43		2 12Gb HD-Mini to HD-Mini SAS cable, 0.5m					
44		4 LC-LC Optical Cable, 3M					
45		1 LC-LC Optical Cable, 5M					
46		1 SCv30X0 Dual Controller Components					
47		1 Rack rail, 2Us, Static					
48		1 Storage Center Core Software Bundle, Base License					
49		1 SSN License					
50		1 Live Volume+Remote Instant Replay, Software License					
51		1 Replay Manager, Software License					
52		1 ProDeploy Plus Dell Storage SC Series vXXXX SAN - Deployment					
53		1 ProDeploy Plus Dell Storage SC Series vXXXX SAN - Deployment Verification					
54		1 ProDeploy Plus Add-On: Replication Services for Dell Storage (Requires ProDeploy Plus)					
55		1 3Yr Parts Only Warranty					
56		1 5Yr ProSupport and 4hr Mission Critical					
57		1 5Yr ProSupport for Software, Live Volume License (includes RIRA Async Sync License) (Non- Essential)					

58		1 5Yr ProSupport for Software, Replay Manager License (Non-Essential)					
59	2	Dell Smart-UPS 3000VA LCD RM - UPS - 2700-watt - 3000 VA					
60	2	APC Network Management Card 2 - Remote management adapter - SmartSlot - Ethernet, Fast Ethernet - 10Base-T, 100Base-TX - black					
61	4	APC Extended Warranty Service Pack - technical support - 1 year					
62	2	Dell EMC Switch S4112F, 12 x 10GbE SFP+, 3 x 100GbE QSFP28, IO to FAN, 2 x AC PSU, OS10					
63		1 Dell Networking, Transceiver, SFP, 1000BASE-T					
64		1 Dell Networking, Transceiver, SFP+, 10GbE, LR, 1310nm Wavelength, 10km Reach					
65		2 Power Cord, PDU (Rack)					
66		1 Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 1 Meter					
67		1 Dell Networking Cable, 100GbE QSFP28 to QSFP28, Passive Copper Direct Attach Cable, 0.5 Meter					
68		1 Dell Networking Dual Tray, one Rack Unit, 4-post rack only, S4112					
69		Softwaru					
70		1 MOD,DF,LIC,OS10,S4112F-ON					
71		1 Base Warranty					
72		1 1Yr Return to Depot - Minimum Warranty					
73		1 90 Day SW Bug Fixes Support Media Replacement					
74		1 5Yr ProSupport and Next Business Day On-Site Service					
75	2	Dell EMC Switch S4112F, 12 x 10GbE SFP+, 3 x 100GbE QSFP28, IO to FAN, 2 x AC PSU, OS10					
76		1 Dell Networking, Transceiver, SFP, 1000BASE-T					
77		1 Dell Networking, Transceiver, SFP+, 10GbE, LR, 1310nm Wavelength, 10km Reach					
78		2 Power Cord, PDU (Rack)					
79		1 Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 1 Meter					
80		1 Dell Networking Cable, 100GbE QSFP28 to QSFP28, Passive Copper Direct Attach Cable, 0.5 Meter					
81		4 Dell Networking, Cable, SFP+ to SFP+, 10GbE, Passive Copper Twinax Direct Attach Cable, 2 Meter					
82		2 Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter					
83		2 Dell Networking Cable, OM4 LC/LC Fiber Cable, (Optics required), 3 Meter					
84		1 MOD,DF,LIC,OS10,S4112F-ON					
85		1 Base Warranty					
86		1 1Yr Return to Depot - Minimum Warranty					
87		1 90 Day SW Bug Fixes Support Media Replacement					
88		1 5Yr ProSupport and Next Business Day On-Site Service					
89	4	CONNECTRIX B-SERIES SOLUTION					
90		DS-6505R-B 12P/24P 16GB RTF BASE SWITCH					
91		DS-6510-B RACK MOUNT KIT					
92		2 C13 PWRCORDS W/ CEE7/7 PLUGS 250V 10A					
93		BRCD LBL 16GB 10KM LONG WAVE SFP					
94		60 PROSUPPORT W/NBD-HARDWARE SUPPORT					
95	1	PowerEdge R640 Server					
96		1 PowerEdge R640 MLK Motherboard					
97		2 Intel Xeon Silver 4208 2.1G, 8C/16T, 9.6GT/s, 11M Cache, Turbo, HT (85W) DDR4-2400					
98		1 Additional Processor Selected					
99		1 iDRAC,Factory Generated Password					
100		1 Group Manager, Enabled					
101		1 LCD Bezel					
102		1 Riser Config 2, 3x16 LP					
103		1 Dell EMC Luggage Tag					
104		1 DIMM Blanks for System with 2 Processors					
105		1 Performance Optimized					
106		1 2933MT/s RDIMMs					
107		12 32GB RDIMM, 2933MT/s, Dual Rank					
108		1 iDRAC9,Enterprise					
109		1 VFlash Card Reader with 16GB Vflash SD card					
110		1 BOSS controller card + with 2 M.2 Sticks 240G (RAID 1),LP					
111		1 QLogic 2692 Dual Port 16Gb Fibre Channel HBA, PCIe Low Profile					
112		2 Standard 1U Heatsink					

113		1 Dual, Hot-plug, Redundant Power Supply (1+1), 750W					
114		2 C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord					
115		1 Trusted Platform Module 2.0					
116		1 Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)					
117		1 Broadcom 5720 DP 1Gb Network Interface Card, Low Profile					
118		1 QLogic FastLinQ 41264 Dual Port 10GbE SFP+, Dual Port 1GbE, rNDC					
119		1 Power Saving Dell Active Power Controller					
120		1 ReadyRails Sliding Rack Rails with Cable Management Arm					
121		1 8 Standard Fans for R640					
122		1 Next Business Day 36MONTHS					
123		1 ProSupport 4HR Mission Critical Initial, 36 mesícu					
124		1 ProSupport 4HR Mission Critical Extension, 24 mesícu					
125	1	PowerEdge R640 Server					
126		1 PowerEdge R640 MLK Motherboard					
127		2 Intel Xeon Silver 4208 2.1G, 8C/16T, 9.6GT/s, 11M Cache, Turbo, HT (85W) DDR4-2400					
128		1 Additional Processor Selected					
129		1 iDRAC,Factory Generated Password					
130		1 Group Manager, Enabled					
131		1 LCD Bezel					
132		1 Riser Config 2, 3x16 LP					
133		1 Dell EMC Luggage Tag					
134		1 DIMM Blanks for System with 2 Processors					
135		1 Performance Optimized					
136		1 2933MT/s RDIMMs					
137		12 32GB RDIMM, 2933MT/s, Dual Rank					
138		1 iDRAC9,Enterprise					
139		1 VFlash Card Reader with 16GB Vflash SD card					
140		1 BOSS controller card + with 2 M.2 Sticks 240G (RAID 1),LP					
141		1 QLogic 2692 Dual Port 16Gb Fibre Channel HBA, PCIe Low Profile					
142		2 Standard 1U Heatsink					
143		1 Dual, Hot-plug, Redundant Power Supply (1+1), 750W					
144		2 C13 to C14, PDU Style, 10 AMP, 6.5 Feet (2m), Power Cord					
145		1 Trusted Platform Module 2.0					
146		1 Order Configuration Shipbox Label (Ship Date, Model, Processor Speed, HDD Size, RAM)					
147		1 Broadcom 5720 DP 1Gb Network Interface Card, Low Profile					
148		1 QLogic FastLinQ 41264 Dual Port 10GbE SFP+, Dual Port 1GbE, rNDC					
149		1 Power Saving Dell Active Power Controller					
150		1 ReadyRails Sliding Rack Rails with Cable Management Arm					
151		1 8 Standard Fans for R640					
152		1 Next Business Day 36MONTHS					
153		1 ProSupport 4HR Mission Critical Initial, 36 mesícu					
154		1 ProSupport 4HR Mission Critical Extension, 24 mesícu					
155	1	1 vSphere Ess Plus Kit 6CPU License, 5yr Subscription w/Dwngrd Rights					
156	0						
157	Zálohování						
158	1	DATA PROTECTION SUITE SOLUTION					
159		DPA SINGLE FEDERATED REPORTING SERVER					
160		DPA SINGLE FED REPORTING SERVER=IA					
161		24 PROSUPPORT W/NBD-SOFTWARE SUPPORT					
162		DATA PROTECTION CENTRAL MID=CA					
163		24 PROSUPPORT W/NBD-SOFTWARE SUPPORT					
164		DPS FOR VMWARE					
165		NW 9.2+ DPS CAP ENABLER=CA					
166		VREALIZE DP EXTENSION 4.0=IA					
167		CLOUDBOOST V2 VM 2TB FOR DPS ENABLER=CA					
168		2 DPS FOR VMWARE 2TB AVE H ENABLER=CA					
169		DPS FOR VMWARE AVAMAR H ENABLER=IA					
170		6 DPS FOR VMWARE RP4VM ENABLER=IA					
171		6 DPS FOR VMWARE SOCKETS=IA					
172		DPS FOR VMWARE DPA ENABLER-C=CB					
173		DPS FOR VMWARE DPSEARCH ENABLER=CA					
174		24 PROSUPPORT W/NBD-SOFTWARE SUPPORT					
175		EMC GRANULAR RECOVERY MICROSOFT MID=CA					
176		24 PROSUPPORT W/NBD-SOFTWARE SUPPORT					

177	1	DD3300 SOLUTION					
178		SYSTEM DD3300 NFS CIFS					
179		DD3300 32TB 2PSU 10GBE 10GBF					
180		2 INTEL ETHERNET SFP+SR OPTIC-E10GSFSPSR SP					
181		2 POWER CORD,DD EUROPE CONT,CEE7/7,C13,2M					
182		24 PROSUPPORT W/NBD HARDWARE SUPPORT					
183							
184		DD3300 OPERATING SYSTEM=IA					
185		DD3300 APPLIANCE SW LICENSE					
186		32 DD3300 SW LICENSE 1TB=CC					
187		24 PROSUPPORT W/NBD SOFTWARE SUPPORT					
188	PC, NTB, Tablety, Tiskarny						
189	1	Dokumentace					
190	75	Instalace na nas budou - migrace a instalace serveru do Virt prostredi cca 30, Win, Linux					
191	14	Lenovo TAB M10 10.1"FHD/3GB/32GB/AN 8 černý					
192	20	OptiPlex 3060					
193		1 OptiPlex 3060 BTX 1 OptiPlex 3060 with 200W up to 85% efficient Power Supply (80Plus Bronze) 1 Intel Core i3-8100 (4 Cores/6MB/4T/3.6GHz/65W); supports Windows 10/Linux 1 ODD Bezel, 1 8GB 1X8GB DDR4 2666MHz UDIMM Non-ECC 1 M.2 256GB SATA Class 20 Solid State Drive 1 8x DVD+/-RW 9.5mm Optical Disk Drive 1 Dell OptiPlex 3060 Regulatory Label 1 Intel Integrated Graphics,OptiPlex 1 Optická myš značky Dell – MS116 - černá 1 Dell Multimedia Keyboard - Czech (QWERTZ) - Black 1 M2X3.5 Screw for SSD/DDPE Softwaru 1 Cyberlink Software for Windows 8/10 without media 1 Windows 10 Pro (64Bit) Multi-Language English, Czech, Hungarian, Polish, Slovak 1 3Y Basic Onsite Service					
194	20	AOC MT IPS LCD WLED 23,8" 24P1 - IPS panel, 1920x1080, 250cd/m, 5ms, D-Sub, DVI, HDMI, DP, USB, repro, pivot					
195	7	Latitude 5490 (N038L549014EMEA)					
196		1 Dell Latitude 5490 BTX 1 Intel(R) Core(TM) i5-8250U Processor Base, Integrated UHD Graphics 620 1 14.0" FHD (1920 x 1080) Non-Touch LCD 1 Smart Card Reader only Palmrest, Dual Point 1 Non-Touch FHD LCD Back Cover with WLAN/WWAN antenn 1 8GB, 1x8GB, DDR4 2400MHz Memory 1 M.2 256GB SATA Class 20 Solid State Drive 1 Primary 4-cell 68W/HR Battery 1 65W AC Adapter, 3-pin 1 Intel Dual Band Wireless AC 8265 (802.11ac) 2x2 + Bluetooth 4.2 1 M.2 SSD SATA Hard Drive Bracket 1 Internal Czech/Slovakian Qwerty Backlit Dual Pointing Keyboard 1 Windows 10 Pro (64Bit) Czech 1 3Yr ProSupport and Next Business Day On-Site Service					
197	10	HP PageWide Pro 377dw MFP					
198	10	HP LaserJet Pro M203dw					
	Základ DPH 21%				4 328 581,0 Kč	DPH 21%	909 002,0 Kč
	Celkem bez DPH				4 328 581 Kč	Celkem s DPH	5 237 583 Kč